

7. The EIS/EMP should include the following: 4.5% of total project cost for EIS/EMP and 1.5% of total project cost for EMP implementation. The EIS/EMP should be prepared by a qualified consultant and approved by the DENR Regional Office.

4. The EIS/EMP should include a very actual condition of site. Site preparation details.

5. The EIS/EMP should include a detailed description of the project and its location, including a map of the project area and a description of the project's impact on the environment.

6. The EIS/EMP should include a detailed description of the project's impact on the environment, including a description of the project's impact on the environment and a description of the project's impact on the environment.


7. The EIS/EMP should include a detailed description of the project's impact on the environment, including a description of the project's impact on the environment and a description of the project's impact on the environment.

8. The EIS/EMP should include a detailed description of the project's impact on the environment, including a description of the project's impact on the environment and a description of the project's impact on the environment.


9. The EIS/EMP should include a detailed description of the project's impact on the environment, including a description of the project's impact on the environment and a description of the project's impact on the environment.

10. The EIS/EMP should include a detailed description of the project's impact on the environment, including a description of the project's impact on the environment and a description of the project's impact on the environment.


Prepared by:



RONALD P. PEÑA
TWG Member



ELPIDIO N. RODEROS, JR.
TWG Member



DR. JOSE M. DELA CRUZ
Chairman, TWG
Secretary, TWG

Received by the Office: _____
Date: _____