

PREPARED BY:
M. M. A. A. A. A. A.
IPU

ENGR. USER:
W. C. BUCIAR
DIRECTOR

REVIEW BY:
E. N. RODRIGUEZ
ARCHITECT




ENDORSED BY:
S. B. BAYOT JR.
PDU

SEC. APPROVAL:
O. B. DELLOS REYES
DIRECTOR
PLANNING / DEV. OFFICE

APPROVED BY:
M. J. D. TEOPORA
CVSU


PROJECT TITLE/LOCATION:
REPAIR AND IMPROVEMENT OF DIT ELEVATOR SHAFT
MAIN CAMPUS

IMPLEMENTING AGENCY:
CAVITE STATE UNIVERSITY
SIT NO: A-1



1
A1
SCALE

1
A1
SCALE





PREPARED BY: L. M. ABELLAR (IPU) / DIRECTOR

END USE: W. D. BUCLATIN (CEIT) / CIVIL ENGINEER

REVIEWED BY: L. E. ROSELLA (CIVIL ENGINEER)

APPROVED BY: B. BAYOT JR. (PDU) / DIRECTOR

DESIGNED BY: M. J. DELOS RIVERA (VP) / PLANNING AND DESIGN




REC. APPROVAL: M. J. DELOS RIVERA (VP) / PLANNING AND DESIGN

APPROVED BY: H. D. ROBLES (PRES) / CIVIL ENGINEER

PROJECT TITLE: REPAIR AND IMPROVEMENT OF DIT ELEVATOR SHAFT

IMPLEMENTING AGENCY: CAVITE STATE UNIVERSITY

SHT NO.: S-1



SECTION	END-SECTION BARS	MID-SECTION BARS	SPACING OF STIRRUPS
B-1	5-20 mm Ø D.R.B. 2-10 mm Ø D.R.B. 3-20 mm Ø D.R.B.	3-25 mm Ø D.R.E. 2-10 mm Ø D.R.E. 5-25 mm Ø D.R.E.	10 mm Ø D.R.B. STIRRUPS SPACE 50mm, 4-75mm, 100mm REST @ 200mm
B-2	3-20 mm Ø D.R.B. 2-10 mm Ø D.R.B. 2-20 mm Ø D.R.B.	2-20 mm Ø D.R.E. 2-10 mm Ø D.R.E. 3-20 mm Ø D.R.E.	-DO-

IMPORTANT NOTE: FOR ELEVATOR COMPONENTS, PLEASE REFER TO THE SPECIFICATIONS PROVIDED BY THE SUPPLIER.