Republic of the Philippines



Indang Cavite, Philippines (046) 889 6373 www.csueduph

1. The Cavite State University (CvSU) invites interested firms/supplier to submit quotation for the project

with an Approved Budget for the Contract (ABC)

Quotation received in excess of the ABC shall be automatically rejected at the opening

			MICROSCOPE CAMERA FOR STEREO MICROSCOPE, and also compatible to compound nicroscope		
1.	1	Unit	Specifications - Image sensor: 1/28 inch - Recordable pixel: up to 1920 x 1080 p - Lens mount: Comunt - Live display mode: up to 1920 x 1080 p at 30 fps - Exposure: Both Manual and Automatic Control with automatic image conection - IsO sensitivity: Standard (equivalent to ISO 50) - Interface: with different ports for USB, HDM, SD Card and stand alone camera - with built in system that allows measurement of specimens, distance calculation and scale bardisplay; - Inclusions: AC Adapter; power chord - Accessories: Monitor	140,00000	140,00000
2	1	Unit	Microscope, conpound Specifications Body: - Trimocular tube model - Stage height: 130- 135mm - with field diaphragm - with field diaphragm - with blue light cut filter to prevent eye strains - Digital status display Body tube: - Pupillary distance: 50 70mm - Eye point height: Adjustable - Built-in 0 55 knekry lens - Eyepoint height: adjustable to at least 2 positions Ocular: - Eyepiece: 10 K with diopter adjustment	250,00000	250,00000

REFRICERATOR Specifications - 19 cu ft Side by Side HD Inverter Milit Door Ref

5. 1 Unit